PTO/SB/08a (08-03)

Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Substite	ute for form 144	9A/PTO			Complete of Known
INE	ORMA	TION E	ISCLOSURE	Application Number	10/763,035
	STATEMENT BY APPLICANT			Filing Date	January 22, 2004
		Pirst Named Inventor	Logan, et al.		
				Art Unit	3611
	(Use as many sheets as necessary)		Examiner Name	Uaknown	
Sheet	1	of	17	Attorney Docket Number	N0023/293139

			U.S. PATENT D	OCUMENTS	
Examiner Unitials	Cite No. ¹	Document Number	Publication Date MM-DD-YYYY	Name of Paterics or Applicant of Cited Document	Pages, Columns, Lines, Where Refevent Passages of Refevent Physics Append
		Number - Kind Code ¹ ((/ Immen)			
CD	1.	6,142,648	11/7/00	Logan, et al.	
ı	2.	6,082,031	7/4/00	Heaton, ct al.	
	3.	5,988,825	11/23/99	Musters, et al.	
	4.	5,797,673	8/25/98	Logan, et al.	
	5.	5,735,498	4/7/98	Jue, et al.	
	6.	5,727,867	3/17/98	Johnstone	
	7.	D 379,373	5/20/97	Logan, et al.	
	8.	5,526,251	6/11/96	Andre, et al.	
	9.	5,461,550	10/24/95	Johnstone	
	10.	5,376,020	12/27/94	Jones	
	11.	5,272,605	12/21/93	Johnstone	
	12.	5,247,756	9/28/93	Johnstone	
	13.	5,018,290	5/28/91	Kozek, et al.	
	14.	4,600,972	7/15/86	MacIntyre	
	15.	4,561,203	12/31/85	MacDonald, Jr., et al.	
	16.	4,466,208	8/21/84	Logan, Jr., et al.	
1/	17.	4,355,479	10/26/82	Thornton	
W	18.	4,255,746	3/10/81	Johnson, et al.	

				$\overline{}$
Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006]

EXAMINER: Initial if reference considered, whether or not diallon is in conformance with MPEP 609. Draw line through citation of not in conformance and not considered. Include copy of this form with next communication to applicant. "Applicants unique citation destination number (options!). "See Kinds Codes of USPTO Patent Documents at www.nextle.com or MPEP 801.04. "Enter Office that indication document by the two-driver code (WIPO Standard ST.3). "For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the sarial number of the patent document." Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 18 if possible. "Applicant to be place a check mark here if English tanguage Translation is stochad.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to precess) an application. Confidentially is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the complished application form to the USPTO. Time will vay deponding upon the individual case. Any comments on the amount of time you require to complete, including gathering, preparing, and submitting the complete of place of the sament of time you require to complete. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PTO/SB/08a (08-03)
Approved for use through 07/31/2006, OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Property ork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid QMB countril autobase

Complete if Known Substitute for form 1449A/PTO Application Number INFORMATION DISCLOSURE 10/763,035 Filing Date January 22, 2004 STATEMENT BY APPLICANT First Named Inventor Logan, et al. Art Unit 3611 (Use as many sheets as necessary) Examiner Name Unknown Attorney Docket Number N0023/293139 οſ 17 Sheet 2

			U.S. PATENT I	OCUMENTS	
Examinor Initials	Che Na.	Document National	Publication Date MM-DD-YYYY	Name of Patentin or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages of Relevant Figures Appear
		Number - Kind Cods ² (if known)			
CD 19		4,222,093	9/9/80	Garcia	
	20.	4,162,779	7/31/79	Van Steenhoven	
	21.	4,071,749	1/31/78	Balogh	
	22.	3,931,689	1/13/76	Shine	
	23.	3,924,344	12/9/75	Davis	
	24.	3,772,527	11/13/73	Darling, et aL	
	25.	3,665,626	5/30/72	Lund, et al.	
	26.	3,478,455	11/18/69	Fremont	
7/	27.	3,402,494	9/24/68	Gray	

		FOREIGN PA	TENT DOCUM			
Boaminer Inidals	Cite No.1	Foreign Palent Document	Publication Date MD4DD-YYYY	Name of Patentics of Applicant of Cited Document	Pages Columns Lines Where Relevant Passages or Relevant Figures Appear	
		Country Code ² - Number ² - Kind Code ² (If known)				
CD	28.	Europe (EPO) - 0412281A1	2/13/91	•		
				-		

Examiner		Date	06/27/2006
Signature	/Cassandra Davis/	Considered	00/27/2000

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 509. Draw line through citation if not in conformance and not considered, include copy of this form with next communication to applicant. 1 Applicant's unique disalien designation number (optional), 2 See Kinds Cades of USPTO Patent Documents at www.uspto.com MPEP 901.04, 3 Enter Office that Issued the document, by the two-latter code (WIPO Standard ST.S). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 4 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. 4 Applicant to place a check mark here if English tanguage Translation is attached.

Translation is attached.

The information is regarded by 37 CER 1.97 and 1.88. The information is regarded to about a baset by the public which is to file food to the conformation in the public which is to file food to the conformation in the public which is to file food to the conformation in the public which is to file food the the conformation in the public which is to file food to the conformation in the public which is to file food to the conformation to the conformation in the public which is to file food to the conformation to the conformation of the conformation in the conformat

Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.88. The information is required to obtain or retain a benefit by the public which is to file (and by the DISPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete. USPTO to process) an application, confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete including gathering, preparing, and submitting the complete application form to the USPTO. These vill very depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademan Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PTC/SB/08a (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Putent and Trademark Office; U.S. DEP ARTMENT OF COMMERCE

	Under the Programmed Reduction Act of 1995, no persons are required to respond to a collection of characteristic classes a value cover consequence.							
5 detailable for form 1449APTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT					Complete of Known			
				Application Number	10/763,035			
				Filing Dou	January 22, 2004			
		First Named Inventor	Logan, et al.					
				Art Unil	3611			
(Use as many sheets as necessary)			aecessary)	Exeminer Name	Unknown			
Sheet	3	of	17	Attorney Docket Number	N0023/293139			

Examiner	Citc	NON PATENT LITERATURE DOCUMENTS	T 2
nitials	No.1	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.	
CD 29.		Brochure, "Kast Exits - Stencil or Plastic Face," Incandescent Catalog, Lithonia Lighting, Inc. (1965), p. 26.	·
	30.	Brochure, "Fail-Safe Exit Sign," Lithonia Lighting (1971).	······································
	31.	Brochure, "Exit Series – Plastic Face," Lithonia Lighting (1971), p. 64.	
	32.	Brochure, "ES/EP Premium Exits," Lithonia (1980), p. 52.	
	33.	Brochure, "AS/AP Incandescent Series," Lithonia Emergency Lighting, p. 24 (1984).	· · · · · · · · · · · · · · · · · · ·
	34.	Installation Instructions, "Spectrum Series Model MS/MP 120/277 Exit Signs," Lithonia Emergency Systems (Jul. 28, 1986).	
	35.	Drawing, "L.A. Swivel Male" (Jul. 7, 1986).	
	36.	One page of photographs, Lithonia Lighting Systems Emergency Exit Sign with Chevrons as shown in Brochure, "Introducing the New QM-EL Quantum Emergency Exit Sign," Lithonia Lighting (1992) listed above (Chevron Sign).	
	37.	One page of photographs, Model KSR-LED EZ Snap Series Exit Sign, Dual Lite (Oct. 26, 1994) ("Dual Lite Sign") as shown in Installation Instructions, EZ Snap LED Exit Signs, Dual-Lite (Jul. 1994) listed above.	
	38.	One page of photographs (Cam Attachment (Long)) shown in Drawing, "Pin, Locking, Pedestal Swivel" (Mar. 30, 1989) and Brochure, Installation Instructions Titan Series (Circa 1989), listed above.	•
$\overline{\mathbf{V}}$	39.	One page of photographs (Cam Attachment (Short)) shown in Drawing, "Swivel, Lamp Par 36" (Oct. 5, 1993) listed above.	

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006

EXAMINER: Initial if reference considered whether or not distion is in conformance with MPEP 609. Draw tine through distion if not in conformance and not considered, include copy of this form with next communication to applicant.

Applicant's unique clistion designation number (optional). Applicant is to be the conformance of the process of information is required by 37 CFR 1.98. The information is required to obtain or rotain a benefit by the public which is to file (and by the USPTO to process) an application. Confideratisty is growered by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including gathering preparing and submitting the completed explication from to the USPTO. Time will very depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden should be sent to the Chief information Officer U.S. Petent and Trademark Office U.S. Oppartment of Commerce P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO: Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450.

PTO/SB/08a (08-03)

Approved for use through 07/31/2006, OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
to respond to a collection of information unless a contains a wifel CMB control member.

Substitute for form 1449A/PTO					Camplete if Known
INE	ORMA	TION D	ISCLOSURE	Application Number	10/763,035
STATEMENT BY APPLICANT				Filting Date	January 22, 2004
				First Named Inventor	Logan, et al.
				Ari Unit	3611
(Use as many sheets as necessary)		Examiner Name	Unknown		
Sheet	14	of	17	Attorney Docket Number	N0023/293139

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium estalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.	T2
CD 40.		Carry of photograph of Swivel shown in Drawing, "L.A. Swivel Male" (Jul.	
	41.	One page of photographs, canopy/backplate shown in Brochure, "Dual- Lite Excite TM Simply Beautiful," Dual-Lite, Inc. (Jul. 1980) listed above.	
	42.	One page of photographs, canopy housing shown in Brochure, "Introducing the Quantum Difference," Lithonia Emergency Systems (1989) listed above.	
	43.	Brochure, "6 Volt Self-Powered Economy Exit Light – Series EP," Elan Lighting Products Division of Altus Corporation (Apr. 1982).	
-	44.	Brochure, "6 Volt Combination Emergency Light/Exit Sign - Series ED," Elan Lighting Products Division of Altus Corporation (Apr. 1982).	
	45.	Brochure, "Standard and AC-DC Exit Signs – Series WX & BX," Elan Lighting Products Division of Altus Corporation (Sep. 1982).	<u> </u>
	46.	Brochure, "Chloride the quality innovators – Signout Self-Powered AC/DC exit signs," Chloride Systems (Sep. 1982).	
	47.	Brochure, "Universal Module Exit Signs - XU Series, AC or AC/DC," Teledyne Big Beam (Mar. 1989).	
	48.	Brochure, "Universal Module Exit Signs – XU Series, AC or AC/DC," Teledyne Big Beam (Aug. 1990).	
	49.	Brochure, "Dynaray Emergency Lighting – 81 Series," Electro Powerpacs Corp. (Jun. 1990).	
	50.	Brochure, "The New Siltron UX Series - Extruded Aluminum Sealed Maintenance-Free Nickel Cadmium Batteries," Siltron Illumination, Inc. (undated).	
$\overline{\mathbf{V}}$	51.	Brochure, "Fluorescent Emergency Light Power Pack - CFP Series," Chloride Systems (undated), pp. 11-18.	

				1
Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006	l
Signature				-

EXAMINER: tribal if reference considered whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered, include copy of this form with next communication to applicant.

*Applicant's unique clistion designation number (optional). *Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or relatin a benefit by the public which is to file (and by the USPTO This collection to information is required to obtain or relatin a benefit by the public which is to file (and by the USPTO This collection to information for long the file (and by the USPTO This collection is estimated to take 120 minutes to complete including gathering preparing and submitting the completed application form to the USPTO, There will vary depending upon the furbridual case. Any comments on the amount of time you require to complete that no marker suggestions for reducing this burdon should be sent to the Chief importation Officer U.S. Patenti and amount of time you require to complete that one marker suggestions for reducing this burdon should be sent to the Chief importance of Officer U.S. Patenti and amount of time you require to complete that any application formation of the Comment of Comments of Comments of the Comment of the Comment of Comments of the Comment of the Comment of Comments of Comments of the Comment of Comments of the Comment of Comments of the Comment of Comments of

, PTO/SE/08a (08-03)
Approved for use through 07/31/2005, OMB 0551-0031
U.S. Patent and Trademerk Office; U.S. DEPARTMENT OF COMMERCE
used to respond to a collection of information unless à confairs a walld OAM

Substitu	te for form 1449A/PT	0	•		Complete if Known
			ISCLOSURE	Application Number	10/763,035
			APPLICANT	Filing Date	January 22, 2004
0111				First Named Inversor	Logan, et al.
				Art Unit	3611
	(Use as many s	hects as	necessary)	Examiner Name	Unknown
Sheet	5	of	17	Attorney Docket Number	N0023/293139

xaminer	Cite	the state of	T²
nitials	No.1	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.	<u> </u>
CD	52.	Brochure, "Chloride Life Safety Products & Systems – Total Flexibility in a Single Exit Sign," Chloride Systems (undated).	
	53.	LINN, CHARLES, A 1 A, "From 'Frog Eyes on a Lunch Box' to Subtle, Quality Emergency Fixtures," Lighting Update, Facilities Design & Management (undated), p. 47.	
	54.	Installation Instructions, "EZ-Snap LED Exit Signs," Dual-Lite (Jul. 1994).	
	55.	Drawing, "Pin, Locking, Pedestal Swivel" (Mar. 30, 1989).	
	56.	Brochure, "Installation Instructions Titan Series" (Circa 1989).	
	57.	Drawing, "Swivel, Lamp Par 36" (Oct. 5, 1993).	
	58.	Brochure, "Spectrum Series - Contemporary Injection Molded Emergency Exit Signs," Lithonia Emergency Systems (1987).	
	59.	Brochure, Spectrum Series - Emergency Exit," Lithonia Emergency Systems (1987).	
	60.	Brochure, "Introducing the Quantum Difference," Lithonia Emergency Systems (1989).	
	61.	Brochure, "FAS/FAP Fluorescent Series," Lithonia Emergency Lighting (undated), p. 25.	
	62.	Brochure, "Introduing the New QM-EL Quantum Emergency Exit Sign," Lithonia Lighting (1992).	
V	63.	Brochure, "Your Choice of Exit Signs Can Make a World of Difference," Lithonia Lighting (1993).	

06/27/2006

EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 609. Draw line through diabon if not in conformance and not considered, include copy of this form with next communication to applicant.

'Applicant's unique citation designation number (optional), applicant is to place a check mark here if singlish tanguage Translation is asserted.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to the (and by the USPTO This collection of information is required by 35 U.S.C. 122 and 37 CFR 1.14. This collection is astimated to take 120 minutes to complete including gathering preparing and submitting the completed publication form to the USPTO. Time will vary depending upon the information case. Any comments on the amount of time you require to complete this form and/or suggestions for reducting this burden should be sent to the Chief Information Officer U.S. Patent and Trademark Office U.S. Department of Commerce P.O. Box 1450 Alexandria VA 22313-1460. DO NOT SEND PEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1460.

Sheet

PTO/SE/08a (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Pateur and Trademark Office; U.S. DEPARTMENT OF COMMERCE

N0023/293139

Under the Paperwork Reduction Act of 1995, no passess are required to respond to a collection of information ruless is constain a valid OMB control number.

Substitute for form 1449APTO

INFORMATION DISCLOSURE

STATEMENT BY APPLICANT

Application Number 10/763,035

Filting Date January 22, 2004

First Named Inventor Logan, et al.

Art Unit 3611

Examinar Name Unknown

Attorney Docket Number

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issue mumber(s) publisher city and/or country where published.	L,
CD	64. Quantum® Installation Instructions, QM-EL Emergency Exit Signs," Lithonia Emergency Systems (undated)		
	65.	Installation Instructions Supplement, Hardware: Side Mount & Top Mount Models: M 120/277 Exit Signs," Lithonia Emergency Systems (undated).	
	66.	Brochure, "Dual-Lite EXITE™ Simply Beautiful," Dual-Lite, Inc. (Jul. 1980).	
	67.	Brochure, "Excalibur® Series," Dual-Lite (undated).	
	68.	Brochure, Excite™ Series," Dual-Lite (Mar. 1988).	
	69.	Brochure, "EZ-Snap™ Series, Dual-Lite (Sep. 1990).	
	70.	Installation Instructions, "Dual-Lite EX-SNAP® Exit Signs" (Jan. 1994).	
	71.	Brochure, "Single and Dual Lamp Fluorescent AC and Emergency Universal Mounting Exit Signs" (Undated), pp. 27-28.	
	72.	Form F1.2, Exit Directional: Edge-Glo® Exit, Fluorescent RGLO/SGLO-FL Series, ALKCO, A Division of JJL Lighting Group, Inc. (June 2003)	
	73.	Form F1.3, Exit Directional: Edge-Glo® Exit, LED RGLO/SGLO-LED Series, ALKCO, A Division of JJL Lighting Group, Inc. (June 2003)	
	74.	Form F1.4, Exit Directional: Edge-Glo® Exit, Wall Recessed LED WGLO- LED Series, ALKCO, A Division of JJL Lighting Group, Inc. (February 2003)	
\overline{V}	75.	Form F1.0, Exit Directional: Edge-Glo® Exit, Edge-Glo® Exit, RPC/CP Series, ALKCO, A Division of JJL Lighting Group, Inc.	

Examiner Signature	/Cassandra	Davis/	Date Considered	06/27/2006
0.9				

EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 600. Draw time through citation if not in conformance and not considered, include copy of Inits form with next communication to applicant.

Applicant's unique citation designation number (options). Applicant is to place a check mark here if English language Translation is attached.

This collection of Information is required by 37 CFR 1.98. The Information is required to obtain or relate a benefit by the public which is to Ete (and by the USPTO This collection is negligible). Confidentially its governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is negligible to take 120 minutes to complete including to proceed an application. Confidentially its governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is negligible take 120 minutes to complete including gehering preparing and submitting the completed application form to the USPTO. Time will vary depending upon the includual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden should be sent to the Chief Information Officer U.S. Patent and Tradomark Office U.S. Department of Commerce P.O. Box 1460 Alexandria VA 22313-1450.

PTO/SB/08a (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB country munities. Complete of Known Substitute for form 1449A/PTO Application Number 10/763.035 INFORMATION DISCLOSURE Filing Dote January 22, 2004 STATEMENT BY APPLICANT First Named Inventor Logan, et al. Art Unit 3611 Examiner Name (Use as many theets as necessary) Unknown Attorney Ducket Number N0023/293139 Sheet 17

	1 00	NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No. ¹	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.	т"
CD	76.	AAPA/ABP-APA Senes, ALRCO, A DIVISION OF SOLI Linguising Group, the	
	77.	Form F3.4, Exit Directional Signage/Exit: Extruded Aluminum AGRA Battery Series, ALKCO, A Division of JJL Lighting Group, Inc.	
	78.	Form F3.6, Exit Directional Signage/Exit: LED Exit, Cast Aluminum Sign, ALKCO, A Division of JJL Lighting Group, Inc.	
	79.	Model CA: Model CA Cast Aluminum LED Exit Sign, Architectural Series, Astralite Inc.	
80. Model EEU-2: EEU-2 Exit Emergency Combo, Comme Astralite, Inc. 81. Model EEU2: EEU-2-16 Remote Capable Exit Emerge Commercial Scries, Astralite, Inc.		Model EEU-2: EEU-2 Exit Emergency Combo, Commercial Series, Astralite, Inc.	
		Model EEU2: EEU-2-16 Remote Capable Exit Emergency Combo, Commercial Series, Astralite, Inc.	···
	83.	Model ELX8: 8 Inch LED Edge Lit Exit, Metro Series, Commercial Series, Astralite, Inc.	
	84.	Model ELX: LED Edge Lit Exit (Recessed Mount), Precision Series, Astralite, Inc.	
	85.	Model ELX: LED Edge Lit Exit (Surface Mount), Architectural Series, Astralite, Inc.	
	86.	Model GLNY: Galvanized 8" LED Exit Sign NYC Approved, Metro Scries, Astralite, Inc.	
	87.	Model NY: New York City Approved 8 Inch LED Exit Sign Combo, Value Series, Astralite, Inc.	
$\overline{\mathbf{V}}$	88.	Model EANY: New York City Approved 8 Inch LED Exit Sign, Metro Series, Astralite, Inc.	

			05/07/0005
Examiner	/Cassandra Davis/	Date	06/27/2006
	/Cassandra Davis/	Considered	
Signature			

EXAMINER: britial if reference considered whether or not cliation is in conformance with MPEP 609, Draw tine through cliation if not in conformance and not considered, include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 1 Applicant is to place a check mark here if English language Translation is statched.

1 Applicant's unique citation designation number (optional). 1 Applicant is to place a check mark here if English language Translation is statched.

1 This coffection of information is required by 37 CFR 1.88. The information is required to obtain or relate a benefit by the public which is to file (and by the USPTO This coffection) an application. Confideration is governed by 35 U.S.C. 122 and 37 CFR 1.14. This coffection is estimated to take 120 minutes to complete including to process) an application. Confideration form in the USPTO. Time will vary depending upon the individual case. Any comments on the gathering properties to complete this form and/or suggestions for reducing this burden should be sent to the Child information Officer U.S. Patent and Trademark Office U.S. Department of Commerce P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450.

PTO/SB/08a (08-03) Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

nd to a collection of information unless it contains a valid OMB control number.

Substilt	ate for form 14	49A/PTO		Complete of Known		
INF	ORMA	TION D	ISCLOSURE	Application Number	10/763,035	
STATEMENT BY APPLICANT				Filing Date	January 22, 2004	
V11.				First Named Inventor	Logan, et al.	
				Art Unit	3611	
	(१/३८ वर	many sheets as	०६६६१४५७)	Examiner Name	Unknown	
Sheet	8	of	17	Attorney Docket Number	N0023/293139	

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No. ¹	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.	T¹
CD 89.		89. Model ST-GAL: 6 Inch Galvanized Steel Exit Sign, Designer Series, Astralite, Inc.	
	90.	Model TP: Thermo Plastic LED Exit, Commercial Series, Astralite, Inc.	
	91.	Symmetry II Series, Thermoplastic Combination Emergency Exits, High Performance, Adjustable Lamp Reflector Systems LED Illumination, Chloride Systems, A Division of Genlyt Thomas Group LLC (May. 2001)	····
	92.	Symmetry I Scries, Commercial Grade Thermoplastic LED Exits AC Only and Emergency Operation LED Illumination, Chloride Systems, A Division of Genlyt Thomas Group LLC (Sept. 2002)	
	93.	Symmetry I Series, Thermoplastic Combination Emergency Exits, High Performance, Adjustable Lamp Reflector Systems LED Illumination, Chloride Systems, and 6V 12-25 Watt Installation and Operating Instructions, A Division of Genlyt Thomas Group LLC (Sept. 2002)	
	94.	Symmetry Series, Edge-Lit Exits AC Only and Emergency Operation LED Illumination, Chloride Systems and 120VAC or 277VAC LED Edgelit Exit Fixture Installation and Operating Instructions, A Division of Genlyt Thomas Group LLC (Sept. 2002)	
	95.	CX Series, Specification Grade Die Cast Aluminum Exits AC Only and Emergency Operation LED Illumination, Chloride Systems and 120VAC	
\bigvee	96.	Reference Series II, Wet Location, Vandal Resistant Heavy Duty Die Cast LED Exit AC Only and Emergency Operation and 120VAC/277VAC Emergency LED Exit Suitable for Wet Location Single or Double Face Installation and Operating Instructions, Chloride Systems, A Division of Genlyt Thomas Group LLC (May 2001)	

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006

EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered, include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). Applicant is to place a check mark hars if English tanguage Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO This collection of information is required by 38 U.S.C. 122 and 97 CFR 1.14. This collection is estimated to take 120 minutes to complete including generating preparing and submitting the completed application form to the USPTO. This will very depending upon the individual case, Any comments on the generating report in complete this form end/or suggestions for reducing this burden should be sent to the Citad information Officer U.S. Patent and Trademark Office U.S. Department of Commence P.O. Box 1450 Alexandria VA 22313-1450. DO NOT BEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissions for Patents P.O. Box 1450 Alexandria VA 22313-1450.

,
PTO/SB/08a (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Palent and Trademark Office; U.S. DEPARTMENT OF COMMERCE to respond to a collection of information unless à contains a valid OMB control number.

Sobstit	tate for forms 14	149A/PTO		Complete if Known		
INF	FORMA	TION D	ISCLOSURE	Application Number	10/763,035	
STATEMENT BY APPLICANT				Filing Date	January 22, 2004	
				First Named Inventor	Logan, et al.	
				Art Unit	3611	
	(Use a	r mony sheets as	aecessary)	Examiner Name	Unknown	
Sheet	9	of	17	Altorney Docket Number	N0023/293139	

Examiner Cité No. 1		Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issua number(s) publisher city and/or country where published.	T3
CD	97.	Reference Series II, Fully Recessed Die Cast Aluminum Exits AC Only and Emergency Operation LED Illumination, Chloride Systems and	
	98.	Sterling Series, Edge-Lit LED Exits AC Only and Emergency Operation LED Illumination, Chloride Systems and 120/277VAC AC Recessed LED Edgelit Exit Installation and Operating Instructions, A Division of Genlyt Thomas Group LLC (Sept. 2002)	· · · · · · · · · · · · · · · · · · ·
	99.	STELX Series by Chloride Systems, Emergency Recessed LED Edgelit Exit, Installation and Operating Instructions, Rev. 1	
	100.	STELX Series by Chloride Systems, Surface Mount Emergency LED Edgelit Exit, Installation and Operation Instructions, Rev. 2	
	101.	Excel Series, Heavy Duty Steel LED Exits AC Only and Emergency Operation LED Illumination, Chloride Systems, A Division of Genlyt Thomas Group LLC (May 2001)	
	102.	XLA Series Steel LED Exit by Chloride Systems, AC LED Exit 120/277VAC, Installation and Operating Instructions, Rev. 1	
	103.	XLN Series Steel LED Exit by Chloride Systems, Emergency LED Exit Sign, Installation and Operating Instructions, Rev. 2	
	104.	XL Series Steel LED Exit by Chloride Systems, 2 Headed Emergency LED Exit Sign, Installation and Operating Instructions, Rev. 1	
	105.	Symmetry SLA Series by Chloride Systems, 120V or 277V AC Plastic LED Exit Installation and Operating Instructions, Rev. 1	_
V	106.	Symmetry SLN Series by Chloride Systems, 120 or 277VAC Self Powered Plastic LED Exit Installation and Operating Instructions, Rev. 1	

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006
0.8			أناوا والمرابع والمرابع المرابع والمرابع والمرابع والمرابع والمرابع والمرابع والمرابع والمرابع والمرابع والمرابع

EXAMINER: Initial if reference considered whether or not challen is in conformance with MPEP 609. Draw line through eladion if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to option or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to comprete including gathering preparing and submitting the completed application form to the USPTO. The will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden should be sent to the CNof Information Officer U.S. Patent and Trademark Office U.S. Department of Commerce P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO; Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450.

:)

Approved for use through 07/31/2006, OMB 0651-0031

U.S. Patent and Trademurk Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1994, no persons are required to respond to a collection of information unless it contains a valid OMB control number. Substitute for form 1449A/PTO Complete if Known Application Number 10/763,035 INFORMATION DISCLOSURE Filing Date January 22, 2004 STATEMENT BY APPLICANT First Named Intersor Logan, et al. Art Unit 3611 (Use as many sheets as necettary) Examiner Name Unknown Attorney Docket Number N0023/293139 Sheet

			NON PATENT LITERATURE DOCUMENTS	
	Examiner Cite Initials No.		Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal scrial symposium catalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.	T¹
(CD	107.	120V or 277V Self Powered/AC Plastic LED Exit Installation and Operating Instructions	
		108.	6 Volt Emergency Lighting Combo Unit with 2-5.4W Lamps Installation and Operating Instructions, Rev. 4	
		109.	Excel Series, Heavy Duty Steel Combination Exit/Emergency Units, Emergency Operation with Side-Mounted Lamp Heads LED Illumination, Chloride Systems, A Division of Genlyt Thomas Group LLC (May 2001)	
	•	110.	Infinity II Series, Semi-Recessed Exits AC Only and Emergency Operation LED Illumination, Chloride Systems, A Division of Genlyt Thomas Group	
		111.	Self-Luminous Series, Tritium Exits, Operates Without External Power Source 10, 15 or 20 Year Life, Chloride Systems, A Division of Genlyt Thomas Group LLC (May 2001)	, <u></u>
		112.	Installation and Instructions for AC L.E.D. Exit Signs, CX Series, Sure- Lites, Cooper Lighting (Mar. 1998)	
		113.	Installation Instructions for Self Powered Self-Diagnostic L.E.D. Exit Signs CX Series, Sure-Lites, Cooper Lighting (Mar. 2000)	
		114.	Installation Instructions For CAX – L.E.D. AC and If Powered Exit Signs, Sure-Lites, Cooper Lighting (Jul. 1998)	
		115.	Installation Instructions for Self Powered Exit Signs CAX Series, Sure- Lites, Cooper Lighting (April 1999)	
		116.	Installation Instructions For CAX – L.E.D. Self-Diagnostic Self Powered Exit Signs, Sure-Lites, Cooper Lighting (May. 2000)	
\	/	117.	Installation Instructions for Self-Powered Exit Signs CAX Series With LED Lite-Stx TM , Sure-Lites Cooper Lighting (Apr. 1997)	

Examiner Signature	/Cassandra	Davis/	Date 06/27/2006 Considered

EXAMINER: tribial if reference considered whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered, include copy of this term with next communication to applicant.

'Applicant's unique distinct designation number (optional). 'Applicant is to place a check mark here if English language Transfelion is attached.

This calcedon of information is required by 37 CFR 1.98. The information is required to obtain or rotain a benefit by the public which is to file (and by the USPTO This calcedon is publication. Confidentially is governed by 35 U.Ş.C. 122 and 37 CFR 1.14. This collection is estimated to lake 120 minutes to complete including pathering preparing and submitting the completed application form to the USPTO. This will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden should be sent to the Citat information Officer U.S. Petert and Indomerated Commence P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450.

PTO/S9/09a (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patzni and Trademark Office; U.S. DEPARTMENT OF COMMERCE to respond to a collection of inflammation unless a contains a world OLD

Substitute for form 1449A/PTO		Complete of Known
INFORMATION DISCLOSURE	Application Number	10/763,035
STATEMENT BY APPLICANT	Filing Date	January 22, 2004
Oliver and the second	First Named Inventor	Logan, et al.
	Art Unit	3611
(Use as many sheets 41 necessary)	Examiner Name	Unknown
Sheet 11 of 17	Attorney Docket Number	N0023/293139

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.1	Include name of the nuthor (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(3) volumo-issue number(s) publisher city and/or country where published.	т,
CD 11		Instruction Sheet for TPX-L.E.D. AC and Self-Powered Exit Signs, Sure- Lites, Cooper Lighting	
	119.	Instruction Sheet for Remote TPX, Sure-Lites, Cooper Lighting	
	120.	Installation Instructions for HZX Series Explosion Proof Exit Signs, Sure- Lites, Cooper Lighting	
	121.	Technication Instructions for AC L.E.D. Exit Signs CCX Series, Sure-Lites,	
	122.	Installation Instructions for AC Incandescent Exit Signs CCX Series, Sure-	
	123.	Installation Instructions EEX Series L.E.D. Edge Lit Exit Signs for AC	
	124.	Installation Instructions EEX Series L.E.D. Edge Lit Exit Signs For Self-	
	125.	Installation Instructions For AC EAX/EAC Exit Signs, Sure-Lites, Cooper Lighting (Jul. 1998)	
	126.	Installation Instructions for Self Powered Exit Signs, Sure-Lites, Cooper Lighting	<u></u>
	127.	Installation Instructions For Self Powered LED Exit Signs, Sure-Lites, Cooper Lighting (Aug. 1994)	
	128.	Installation Instructions for AC Powered Led Exit Signs, Sure-Lites, Cooper Lighting (June 1994)	
$\overline{\mathbf{V}}$	129.	Testallation Instructions for AC Incandescent INCX Series Exit Signs and	

Consider		Date	06/27/2006
Examiner	/Consended David /	Considered	00/2//2000
Signature	/Cassandra Davis/	Considered	
g			

EXAMINER: Initial if reference considered whether or not cliation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered, include copy of this form with next communication to applicant.

Applicant's unique cliation designation number (copilizars).

Applicant is unique cliation designation number (copilizars).

This collection of information is required by 37 CFR 1,98. The Information is required to obtain or retain a benefit by the public which is to file (and by the USPTO This collection of information is required by 35 U.S.C. 122 and 37 CFR 1,41. This collection is estimated to take 120 minutes to complete instuding to process) an application, Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1,41. This collection is estimated to take 120 minutes to complete the instuding application form to the USPTO. Time will vary depending upon the inclinidual case, Any comments on the generaling upon the inclinidual case, Any comments on the amount of unity our equire to complete this form and/or suggestions for reducing this burden should be cent to the Chief information Officer U.S. Patent and Trademark Office U.S. Department of Commerce P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND PEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450.

PTO/SBA08: (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEFARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respect to a collection of infortyring unless it contains a valid OMB control number. Substitute for form 1449A/PTO Complete if Known Application Number INFORMATION DISCLOSURE 10/763,035 Filing Date January 22, 2004 STATEMENT BY APPLICANT First Named Inventor Logan, et al. Art Unit 3611 (Use as many sheets as necessary) Examiner Name Unknown Sheet 12 of 17 Attorney Docket Number N0023/293139

		NON PATENT LITERATURE DOCUMENTS	
Examine Initials	Cite No.1	Include name of the enthor (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.	Τ²
CD	130.	Installation Instructions- SLX Series L.E.D. Exit Signs for AC and Self-Powered, Wall, Ceiling and End Mount, Sure-Lites, Cooper Lighting (Dec. 1998)	
	131.	Installation Instructions for UX EXIT Series, LED, Self Powered, Self- Diagnostic Universal Mounting, Wall, Ceiling, and End Mount Convertible to 2 Face Exit – with optional UXUK KIT, Sure-Lites, Cooper Lighting (Sept. 2003)	
	132.	Installation Instructions for UX EXIT Series, LED, AC Only, -2C Option for 2 Circuits Universal Mounting, Wall, Ceiling, and End Mount Convertible to 2 Face Exit – with Optional UXUK KIT, Sure-Lites, Cooper Lighting (Sept. 2003)	
	133.	Installation Instructions for UXUK Universal 2 Face Conversion Kit For Ceiling Canopy or End Mounting Canopy – UX Exit Sign Series, Sure- Lites, Cooper Lighting (Sept. 2003)	
	134.	Installation Instructions for UX Exit Series-HAZ for HAZARDOUS LOCATIONS, Class I, Div. 2, Groups A,B,C,D, Sure-Lites, Cooper Lighting (Sept. 2003)	
	135.	Installation Instructions for HZX Series Explosion Proof Exit Signs, Sure- Lites	
	136.	120VAC or 277VAC AC LED Cast Exit Single or Double Face, Installation and Operating Instructions Rev.0	
	137.	120VAC/277VAC Emergency LED Cast Exit Single or Double Face, Installation and Operating Instructions Rev.0	
	138.	120VAC/277VAC Emergency LED Cast Exit with Self-Diagnostics Single or Double Face, Installation and Operating Instructions Rev.0	
$\overline{\mathbf{V}}$	139.	E800 Series Cast LED Exit by LightGuard, 120VAC or 277VAC AC LED Exit Single or Double Face Suitable for Wet Location Installation and Operating Instructions Rev.0	

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006

EXAMINER: Intital if reference considered whether or not distion is in conformance with MPEP 809. Draw line through citation in not in conformance and not considered, include copy of this form with next communication to applicant.

'Applicant's unique citation designation number (optional). 'Applicant is to piace a check mark here if Emplish tenguage Translation is stated, this collection of information is required by 37 CFR 1,98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO in process) an application, Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.18. This collection is estimated to take 120 minutes to complete including gathering preparing and submitting the complete despite the form and/or suggestions for reducing this contrade about the Chief thromation Closer U.S. Patant and Trademant Omeo U.S. Department of Commerce P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450.

If you need essistance in completing the form cell 1-600-PTO-9199 and select option 2.

ATLLEBO1 1749157.1

)
PTD/S8/08e (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trudenurk Office; U.S. DEPARTMENT OF COMMERCE
Office of the production of information unless it commits a valid CMB control number.

Substitute for form 1449A/PTO					Complete if Known
			ISCLOSURE	Application Number	10/763,035
INFORMATION DISCLOSURE STATEMENT BY APPLICANT				Filing Date	January 22, 2004
SIA	STATEMENT DI ALL'ELON			First Named Inventor	Logan, et al.
				Art Unit	3611
	(Use as many sheets as necessary)			Examiner Name	Unknown
Shect	13	of	17	Attorney Dockst Number	N0023/293139

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magnzine journal script symposium catalog etc.) date page(a) volume-issue number(s) publisher city and/or country where published.	т,
CD	140.	E803 Series Cast LED Exit by LightGuard, 120VAC/277VAC Emergency	
	141.	NX Series, NEMA Exit Signs, Technical Data, LightGuard, a Division of Gentyl Thomas Group, LLC (Oct. 1998)	
	142.	SLDLX Series by LightGuard, 120/277 VAC AC Recessed LED Edgelit Exit, Installation and Operating Instructions, Rev.0	
	143.	ST DY V Spring by Light Guard, 120/277VAC Surface Mount LED Edgelit	
	144.	SLELX Series by LightGuard, Emergency Recessed LED Edgelit Exit, Installation and Operating Instructions, Rev.1	
	145.	STELV Series by Light Chard, Surface Mount Emergency LED Edgelit	
	146,	E100 IT Series Heavy Duty Steel Exit Signs, LightGuard A Division of Gentyl Thomas Group LLC (Mar. 2001)	
	147.	E700 Series, LightGuard A Division of Gentyl Thomas Group LLC, and E700 Semi-Recessed AC Exit Sign by LightGuard, Suitable for Floor Proximity Installation, Installation and Operating Instructions (Mar. 2001)	
	148.	E11 Savias Steel LED Evit by LightGuard, AC LED Exit 120/277VAC.	
	149.	E1LH Series Steel LED Exit by LightGuard, 2 Headed Emergency LED Exit Sign, Installation and Operating Instructions Rev.1	
$\overline{\Psi}$	150.	E1L3 Series Steel LED Exit by LightGuard, Emergency LED Exit Sign, Installation and Operating Instructions, Rev.2	

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006
Signature	, , , , , , , , , , , , , , , , , , , ,	Considered	

EXAMINER: Initial if reterence considered whether or not citation is in conformance with MPEP 809. Draw line through cristian if not in conformance and not considered, include copy of this form with next communication to applicant.

'Applicant's unique citation designation number (options). 'Applicant is to piace a check mark hare if English language Translation to attached.

'Applicant's unique citation designation to required by 37 OFR 1.98. The information is required to obtain or retain a benefit by the public which is to fibe (end by the USPTO This collection of information is required by 37 OFR 1.98. The information is required in a benefit by the public which is to fibe (end by the USPTO This collection is estimated to take 120 minutes to complete including to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 OFR 1.14. This collection is estimated to take 120 minutes to complete including to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 OFR 1.14. This collection is estimated to take 120 minutes to complete including to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 OFR 1.14. This collection is estimated to take 120 minutes to complete including to process, and the user of the USPTO. The will vary depending upon the individual case. Any comments on the gathering upon the individual case. Any comments on the gathering upon the individual case. Any comments on the gathering upon the individual case. Any comments on the gathering upon the individual case. Any comments on the gathering upon the individual case. Any comments on the gathering upon the individual case. Any comments on the gathering upon the individual case. Any comments on the gathering upon the individual case. Any comments on the gathering upon the individual case. Any comments on the gathering upon the individual case. Any comments on the gathering upon the individual case. Any comments on the gathering upon the individual case. Any comments of the individ

PTD/SB/08a (08-03)

Approved für use übrough 07/31/2006. OMB 0651-0031

U.S. Patroit ûnd Trademark Office; U.S. DEPARTMENT OF COMMERCE
to respond to a collection of information unders a contains a valid OMB control number.

LD Living Art of 1905 no second state

Substitute for form 1449A/PTO					Complete if Known
			ISCLOSURE	Application Number	10/763,035
STATEMENT BY APPLICANT				Filing Date	January 22, 2004
DIRIEM DI LEI LA		First Named Inventor	Logan, et al.		
				Ars Unit	3611
(Use as many sheets as necessary)		Eraminer Name	Unknown		
Shoot	14	of	17	Attorney Docket Number	N0023/293139

Examine Initials	r Cite	NON PATENT LITERATURE DOCUMENTS Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of	1,
niti zi \$	No.'	the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.	
CD 	151.	(July 2003)	
	152.	Hubbell Lighting, Inc. (Jul. 2003)	
153. 154.		Lighting, Inc. (Jul. 2003)	
		Dual-Lite Hubbell Lighting, Inc.	
	155	Hubbell Lighting, Inc.	
	156	Lighting, Inc. (Jul. 2003)	
15		Hubbell Lighting, Inc.	
	158	LX Series Low-Profile, Easy to install exit signs featuring energy-saving, long-life led lamps, Specifications and Installation Instructions, Liteforms Collection, Dual-Lite Hubbell Lighting, Inc. (Jul. 2003)	
	159	DK Series, AC-Only Incandescent Exit Signs, Specifications, Dual-Lite Hubbell Lighting, Inc. (Jul. 2003)	

Examiner / Signature /	Cassandra	Davis/	Date Considered	06/27/2006
Cigilatare				

EXAMINER: Initial if reference considered whother or not citation is in conformance with MPEP 609. Draw line through disation if not in conformance and not considered, include copy of this form with next committed to it applicant.

Applicant's unique citation designation number (optional). Applicant is to piece a check mark here if English language Translation is stached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a penefit by the public which is to the (and by the USPTO This collection of information is required by 37 CFR 1.98. The information is required to application. Confidentiality is governed by 39 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to late 120 minutes to complete individing to process) an application. Confidentiality is governed by 39 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to like 120 minutes to complete individing to process) an application. The confidentiality is governed by 39 U.S.C. 122 and 37 CFR 1.14. This collection is estimated upon the individual case. Any comments on the gathering properties are complete that form and/or suggestions for reducing this burden should be sent to the Chief information Officer U.S. Patch and Individual case.

Trademark Office U.S. Department of Commerce P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1460.

PTO/SB/08a (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
to respect to a collection of information unless it contains a valid OMB control rember.

Substitu	ate for form 144	9A/PTO			Complete if Known	
INF	ORMA'	TION D	ISCLOSURE	Application Number	10/763,035	
STATEMENT BY APPLICANT				Filing Date	January 22, 2004	
0111	. سند ۱۸ سر م			First Named Inventor	Logan, et al.	
				AH UNII	3611	
	(Vis as	many sheets as	necessory)	Examiner Name	Unknown	
Sheet	15	of	17	Attorney Docket Number	N0023/293139	

NON PATENT LITERATURE DOCUMENTS							
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS) tide of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) data page(s) volume-issue number(s) publisher city and/or country where published.	T 2				
CD	160.	LT Series, Low-Profile, Easy to install emergency lighting unit/exit signs combinations featuring energy-saving, long-life led lamps Specifications and Installation Instructions, Liteforms Collection Dual-Lite Hubbell Lighting, Inc. (Jul. 2003)					
	161.	LE Series, Architectural Edge-lit exit signs featuring elegant styling, easy					
	162.	LES Series, Architectural AC-only Edge-lit exit signs featuring elegant					
	163.	LN4X Series, Wet Location UL 50 type 4X exit signs for indoor/outdoor					
	164.	EZ-SNAP® Series, Attractive, easy to install exit signs featuring kit based	·				
	165.	EZ-SNAP® LED LiteCell TM Series, attractive, easy to install exit signs featuring energy saving, long life LED lamp panels, Dual-Lite (Nov. 1994)					
	166.	1994)					
$\overline{\downarrow}$	167.	NV3 Series Thermoplastic LED Exit AC and Emergency Models, Prescolite Life Safety Products Specifications and Installation Instructions, Hubbell Lighting, Inc. (Jul. 2003)					

Examiner Signature	/Cassandra	Davis/	Date Considered	06/27/2006
0/9/10/2:0				

EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 609, braw line through citation if not in conformance and not considered, include copy of this form with next communication to applicant.

Applicant's unique distinct designation number (optional). Applicant is to piace a check mark here if English tenguage Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO This collection of information is required by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including to process, and process and the use of the USPTO. The will vary depending upon the Individual case. Any comments on the use of the USPTO. The will vary depending upon the Individual case. Any comments on the USPTO. The will vary depending upon the Individual case. Any comments on the use of the USPTO. The will vary depending upon the Individual case. Any comments on the use of the USPTO. The will vary depending upon the Individual case. Any comments on the USPTO. The will vary depending upon the Individual case. Any comments on the USPTO. The will vary depending upon the Individual case. Any comments on the USPTO. The will vary depending upon the Individual case. Any comments on the USPTO. The will va

PTO/SB/084 (02-03)
Approved for use through 07/31/2006, OMB 0631-0031
U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

U.S. Passett and I Bacemark O'race: U.S. Der Ark I and I O'V Constitution of infinancian vales if contains a valid OMB control number.

Substitu	te for form 1449A/PT	0			Complete if Known
INF	ORMATIC	N D	ISCLOSURE	Application Number	10/763,035
			APPLICANT	Filing Date	January 22, 2004
		•		First Named Inventor	Logan, et al.
				Art Unit	3611
	(Use as many t	भरक्षा वा	necessary)	Examiner Name	Unknown
Sheet	16	of	17	Attorney Docket Number	N0023/293139

Examiner	Cita	NON PATENT LITERATURE DOCUMENTS	T i
nitials	No.1	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal scrial symposium catalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.	I.
CD	168.	DuraMax TM MR Series Diecast Aluminum LED Exit Signs AC and emergency models with lifetime warranty and standard self-test/self-diagnostic operation, Prescolite Life Safety Products, Hubbell Lighting, Inc. (July 2003)	
	169.	Cast Aluminum LED Exit Signs Installation and Instructions; Dual-Lite Prescolite Life Safety Products (Oct. 2001)	
	170.	DuraMax TM MR Series Discost Aluminum Master/Remote LED Exit Sets For over-door and low level installations, Specifications and Installation Instructions Prescolite Life Safety Products Hubbell Lighting, Inc. (Jul. 2003)	
	171.	EverGardra Series Cast Aluminum LED Exit Signs For Severe Conditions, Compact, low-profile exit signs designed specifically for damp, hot, cold or high abuse applications, Specifications and Installation Instructions, Prescolite Life Safety Products Hubbell Lighting, Inc. (Jul 2003)	
	172.	GC Series Diceast Aluminum LED Exit Signs AC and emergency models with long life LED lamps, Specifications and Installation Instructions Prescolite Life Safety Products Hubbell Lighting, Inc. (Jul. 2003)	
	173.	Prescolite Life Safety Products Hubbell Lighting, Inc. (Nov. 2003)	
	174.	Installation/Owners Manual for Models: LED1EM, LED2EM, LED1AC, LED2AC, PLED1EM, PLED2EM, PLED1AC, PLED2AC, Dual-Lite Presculite Life Safety Products Hubbell Lighting, Inc.	.
	175.	Manual Prescolite Life Safety Products Hubbell Lighting, Inc. (Jul. 2003)	
\overline{V}	176.	LEP Series Edge-Lit LED Exit Recessed Mount AC and Emergency Models, Specifications and Installation/Owners Manual, Prescolite Life Safety Products Hubbell Lighting, Inc. (Jul 2003)	

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006

EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 809. Draw line through citation if not in conformance and not considered, include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (epitona). Papplicant is to place a check mark here if English language Translation is astached.

1 Applicant's unique citation designation number (epitona). Papplicant is required to obtain or retain a benefit by the public which is to file (and by the USPTO This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO Information 1.22 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including gathering preparing and submitting the completed application form to the USPTO. Time will vary depending upon the individual case, Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden should be sent to the Chief information Officer U.S. Patent and Trademark Office U.S. Oppartment of Commerce P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450.

PTO/SE/08a (08-03)
Approved the use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE.

Substitu	nte for form 1449A/P				Complete of Known
INF	ORMATIC	ON D	ISCLOSURE	Application Number	10/763,035
			APPLICANT	Filing Dare	January 22, 2004
				First Named Inventor	Logan, et al.
				Art Unit	3611
Į	(Use as many	sheets os	necessary)	Examiner Name	Unknown
Sheet	17	of	17	Attarney Docket Number	N0023/293139

Dia-1	Cies	NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	No.1	Include came of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the ftem (book magazine journal scrial symposium catalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.	Т1
CD	177.	LEPS Series Edge-Lit LED Exit Surface Mount AC Models, Prescolite Life Safety Products Hubbell Lighting, Inc. (Jul. 2003)	
	178.	LN4XP Series Wet Location LED Edit Surface Mount AC and Emergency Models, Specifications and Installation Instructions, Prescolite Life Safety Products Hubbell Lighting, Inc. (Jul. 2003)	
	179.	PEXHL Series Combination LED Exit and Emergency Light, Specifications, Prescolite Life Safety Products Hubbell Lighting, Inc. (Jul. 2003)	
180		Exit Lite Series Modular Incandescent Exit AC and Emergency Models, Specifications, Prescolite Life Safety Products Hubbell Lighting, Inc. (Jul. 2003)	
	181.	Drawing - Brackets Single Face Plastic Sign (May 1991)	
	182.	Drawing – Brackets Double Face Plastic Sign	
	183.	Drawing – Brackets Single Face Aluminum Sign (May 1991)	
	184.	Drawing – Brackets Double Face Aluminum Sign (May 1991)	
<u>V</u>	185.	Model SCR-525 EXSC Exit Sign and Specifications, Hobby & Brown Electronic Corporation	

Examiner /Commandan Doving/	Date 06/27/2006
Signature /Cassandra Davis/	Considered
	· · · · · · · · · · · · · · · · · · ·

EXAMINER: Initial if reference considered whother or not cliation is in confarmance with MPEP 609. Draw line through citation is not in confarmance and not considered. Initials copy of this form with next communication to applicant.

Applicant's unique cliation designation number (optional). Applicant is to place a check mark here if English (enguage Translation is attached. This collection of information is required by ST CFR 1.98. The information is required to obbin or retain a benefit by the public which is to file (and by the USPTO to procease) an application. Confidentiality is governed by 35 U.S.C. 322 and 37 CFR 1.14. This collection is cellmated to take 120 minutes to complete including gathering preparing and submitting the completed application form to the USPTO. Time will vary departure upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burdon should be sent to the Chief information Officer U.S. Palenti and Tradomart Office U.S. Department of Commerce P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Palente P.O. Box 1450 Alexandria VA 22313-1450.